Wadeite
Wade A and Prider RT: Rept.Brit.Assoc.(1938) p. 419
Australia - Western Australia - Kimberley Division-West - Walgidee Hills (S18 18', E124 51')
- Australia: UWA-Perth - Type: HT: 18760

Wadsleyite
Price GD, Putnis A, Agrell SO, Smith DGW: Can.Min.(1983) 21, 29-35
Meteorite-Canada - Alberta, Peace River (N56 08', W117 56') - Meteorite Peace River - Stone, Hypersthene-olivin Chondrite
- Canada: UA-Edmonton - Type: T:

Wadsleyite is the high pressure polymorph of olivine, which has only be found in nature in shocked ordinary chondrites

Wairakite
Steiner A: Min.Mag.(1955) 30, 691-698
New Zealand - NE-Island - Wairakei - Lake Taupo (near; from geothermal drill cores 19 and 24)
- New Zealand: GSNZ-Lower Hutt - Type: HT: P13871 (2g)
- USA: NMNH-Washington - Type: T: 137192 (don. Univ. Otago, thru DS Coombs, 1977)

Compare DS Coombs in: Min.Mag.(1955) 30, 699-708

Wairauite
Challis GA and Long JVP: Min.Mag.(1964) 33, 942-948
New Zealand - SW-Island - Marlborough district - Wairau Valley - Red Hills
- United Kingdom: CU-Cambridge - Type: T:
- New Zealand: GSNZ-Lower Hutt - Type: HT: P25574c (grains)
- USA: NMNH-Washington - Type: T: 110677 (don. GA Challis, 1966)

Wakabayashilite
Kato A, Sakurai KI, Ohsumi K: Introd.Japan.Min.,Geol.Surv.Japan (1970) 92-93
Japan - Honshu - Gumma Pref. - Nishinomaki mine
- Japan: NSM-Tokyo - Type: T: MA-5635 (1 sample)

Wakefieldite-(Ce)
Deliens M, Piret P: Bull.Minéral.(1986) 109, 305
Zaire - Kivu - Mwenga - Kobokobo open pit
- France: MHN-Paris - Type: CT: 178.119
- Belgium: MRAC-KMMA-Tervuren - Type: HT: RGM 5.895 (about 25 microcrystals)
- USA: NMNH-Washington - Type: T: 136.817

Wakefieldite-(Y)
Hogarth DD, Miles N: Ann.Meet.Geol.Min.Assoc.Canada,Abstr.(1969) p. 20
Canada - Quebec - Papineau County - Portland Township, Lot 28, Range VI, St. Pierre-de-Wakefield (near) - Evans-Lou mine
- Canada: GSC-Ottawa - Type: HT: 12165 (a few mg)
- Canada: ROM-Toronto - Type: MT: M30382 (approx. 1mg)

See also NM Miles, DD Hogarth, DS Russel in: Amer.Min.(1971) 56, 395-410.

Walentaite
Dunn PJ, Peacor DR, Roberts WL, Campbell TJ, Ramik RA: Neues Jahrb.Min.,Mh.(1984) 169-174
USA - South Dakota - Custer County - Pringle - White Elephant mine
- United Kingdom: NHM-London - Type: CT: BM 1984,690
- USA: NMNH-Washington - Type: CT: 149782/3 (don. WL Roberts, 1983)

Walfordite
Back ME, Grice JD, Gault RA, Criddle AJ, Mandarino JA: Can.Min.(1999) 37, 1261-1268
Chile - Coquimbo - La Serena (160 km E of), El Indio - Tambo mining property - Wendy open pit of the Tambo mine
- Canada: ROM-Toronto - Type: CT: M47817/8

Found in brecciated silificied rhyolitic and dacitic pyroclastic rocks.

Wallisite
Nowacki W: Eclogae Geol.Helv.(1965) 58, 403-406
Switzerland - Wallis - Binntal - Lengenbach
- Switzerland: NMBE-Bern - Type: HT: L2533-63

A Edenharter, W Nowacki, Y Takeuchi in: Zeitschr.Krist.(1970) 131, 397-417

Wallkilldellite
Dunn PJ: Amer.Min.(1983) 68, 1029-1032
USA - New Jersey - Sussex County - Ogdensburg - Sterling Hill mine
- USA: HMM-Cambridge - Type: HT: 113445 (described from HMM-coll.)
- USA: NMNH-Washington - Type: CT: 149767 (don JL Baum, 1982)

Wallkilldellite-(Fe)
Sarp H, Mari G, Chiappero PJ: Riviera Sci.(1999) 5-12
France - Alpes-Maritimes - Guillaumes (6km S of) - Var valley, Barrot Dome - Roua copper ore deposit (N46 02' E6 51')
- Switzerland: MHN-Geneve - Type: T:

Walpurgite
Weisbach A: Neues Jahrb.Min.(1871) p. 870
Germany - Sachsen - Erzgebirge - Schneeberg, Neustädtel - Weisser Hirsch mine, Walpurgis vein
- Germany: BAF-Freiberg - Type: T: 21779 (??)

Original name: Walpurgin.

Walstromite
Alfors JT, Stinson MC, Matthews RA, Pabst A: Amer.Min.(1965) 50, 314-340
USA - California - Fresno County - Trimmer (5 mls NE of) - Big Creek and Rush Creek sanbornite deposit
- USA: CSMMM-Mariposa - Type: T:

Walthierite
Li G, Peacor DR, Essene EJ, Brosnahan DR, Beane RE: Amer.Min.(1992) 77, 1275-1284
Chile - Coquimbo - El Indio Au-Ag-Cu-deposit (7km SE of) - Tambo mining district (Reina vein)
- USA: NMNH-Washington - Type: T: 170208/9 (after the lit.)

Wardsmithite
McAllister JF and Vlisidis AC: Amer.Min.(1970) 55, 349-357
USA - California - Inyo County - Death Valley, Furnace Creek district - Hard Scramble (and Oliver Consolidated) claims
- USA: NMNH-Washington - Type: HT & T: 136414 (U.S.Geol.Surv., RC Ers, 1977) and 147955/6 (U.S.Geol.Surv., RC Ers, 1981)

Warikahnite
Keller P, Hess H, Dunn PJ: Neues Jahrb.Min.,Mh.(1979) 389-395
Namibia - Otavi - Tsumeb (level 31, pillar E9)
- Germany: IMKU-Stuttgart - Type: CT: NM 04 (10mg, fragm. of xx)
- USA: NMNH-Washington - Type: CT: 144801

Warwickite
Shepard CU: Amer.J.Sci.(1838) 34, 313-315
USA - New York - Orange County - Warwick
- France: MHN-Paris - Type: PT: 74217 and 99697 ("types des nouvelles données; don. CU Smith, 1874)
- USA: NMNH-Washington - Type: T: 128712 (CU Shepard coll., 1929)

Watanabeite
Shimizu M, Kato A, Matsubara S, Criddle AJ, Stanley CJ: Min.Mag.(1993) 57, 643-649
Japan - Hokkaido - Sapporo - Teine mine (N43 05'30", E141 12'15")
- United Kingdom: NHM-London - Type: T: BM 1992,238
- Japan: NSM-Tokyo - Type: T: NSM-M26138 (cit. by Shimizu et al., 1993)
- Japan: UMT-Tokyo - Type: T: (cit. by Shimizu et al., 1993)

Watkinsonite
Johan Z, Picot P, Ruhlmann F: Can.Min.(1987) 25, 625-635
Canada - Quebec - Otish Mountain basin
- France: ENSM-Paris - Type: HT:

In a vein-type U-deposit.

Wattersite
Roberts AC, Bonardi M, Erd RC, Criddle AJ, Le Page Y: Min.Rec.(1991) 22, 269-272
USA - California - San Benito County - New Idria district - Clear Creek mercury mine (in a prospect pit near the abandoned), (N36 22'59", W120 45'58")
- Canada: GSC-Ottawa - Type: HT & CT:
- USA: NMNH-Washington - Type: CT: 165271

Wawayandaite
Dunn PJ, Peacor DR, Grice JD, Wicks FJ, Chi PH: Amer.Min.(1990) 75, 405-408
USA - New Jersey - Sussex County - Franklin
- USA: NMNH-Washington - Type: CT: 93391 and R05869 (cit. by Dunn et al., 1990)
- Canada: ROM-Toronto - Type: CT: M44227

Webnerite
Stelzner AW: Zeitschrift Ktyst.Min.(1894) 24, 125
Bolivia - Oruro Dep. - Itos mine
- United Kingdom: NHM-London - Type: CT: BM 82967

Discredited name = syn. of andorite

Weddellite
Frondel C and Prien EL: Science (1942) 95, 431
Antarctica - Weddell Sea - (deep-sea deposit from the)
- United Kingdom: NHM-London - Type: HT: BM 1936,975-977

First description by FA Bannister and MH Hey in: Discovery Reports, Cambridge (1936) 13, 60 - as a "calcium oxalate".

Weeksite
Outerbridge WF, Staatz MH, Meyrowitz R, Pommer AM: Amer.Min.(1960) 45, 39-52
USA - Utah - Juab County - Thomas Range - Autunite no. 8 Claim
- USA: NMNH-Washington - Type: T: 114570 (don. U.S.Geol.Surv., WF Outerbridge, 1960) and 115886, 121949 (don. U.S.Geol.Surv, 1963 and 1969)

Wegscheiderite
Fahey JJ and Yorks KP: Amer.Min.(1963) 48, 400-403
USA - Wyoming - Sweetwater County - Green River Formation - Perkins Well no. 1 (drill cores, depth 1609'8")
- USA: NMNH-Washington - Type: T: 117710 (don. U.S.Geol.Surv., JJ Fahey, 1965)

Weibullite
Flink G: Arkiv Kemi Min.Geol.(1910) 3, 4
Sweden - Kopparberg - Falun - Falun - Falun
- Sweden: SMNH-Stockholm - Type: HT: 332721

Weilite
Herpin P, Pierrot R: Bull.Soc.fr.Min.Crist.(1963) 86, 368-372
Germany - Sachsen and Baden-Württemberg - Ergebirge and Schwarzwald - Schneeberg and Wittichen
- France: ENSM-Paris - Type: HT: (the TL of this specimen is not given!)

On museum specimens from various German and French localities

Weinebeneite
Walter F, Postl W, Taucher J: Mitt.Abt.Min.Landesmuseum Joanneum,(1990) 58, 37-43
Austria - Kärnten - Koralpe, Brandrücken - Weinebene (spodumene pegmatites) (N46 50'11", E14 59'29")
- Austria: Joanneum-Graz - Type: CT:
- Austria: LMK-Klagenfurt - Type: CT:
- Austria: NHMW-Wien - Type: CT:

Weinschenkite-(Y)
Laubmann H: Ber.Deutsch.Chem.Ges.(1922) 55, Abt. B, p. 3013
Germany - Bayern - Oberpfalz - Auerbach
- France: MHN-Paris - Type: T: 12518 and 12519 (don. F. Heinrich)

Discredited species, syn. of churchite-(Y)

Weishanite
Li Yuheng, Shan Ouyang, Tian Peixue: Acta Mineral. Sinica (1984) 4, 102-105
China - Henan Province - Tongbai County - Poshan mining district
- China: NMG-Beijing - Type: T:

Weissbergite
Dickson FW and Radtke AS: Amer.Min.(1977) 62, 720-724
USA - Nevada - Eureka County - Elko (50km NW of) - Carlin gold mine (two locations)
- USA: NMNH-Washington - Type: T: 144274 (don. U.S.Geol.Surv., AS Radtke, 1978)

Weissite
Crawford WP: Amer.J.Sci.(1925) ser. 5, 13, 345-346
USA - Colorado - Gunnison County - Vulcan - Good Hope and Mammoth Chimney mines
- USA: NMNH-Washington - Type: T: 095782 (don. WP Crawford, 1928)

Welinite
Moore PB: Arkiv Min.Geol.(1967) 4, 407-411
Sweden - Värmland - Filipstad - Filipstad - Langban, Hindenburgstope
- France: MHN-Paris - Type: T: 175302 ,(part of the NMNH 120067-specimen)
- USA: NMNH-Washington - Type: T: 120067 (from the G. Flink collection)
- Sweden: SMNH-Stockholm - Type: HT: 532157

Only with name in Can.Min.(1967) 9, 301

Wellsite
Pratt JH and Foote HW: Amer.J.Sci.,ser. 4 (1897) 3, 443-448
USA - North Carolina - Buck Creek - Cullakanee mine
- France: MHN-Paris - Type: CT: 113405 (don. JH Pratt)
- USA: NMNH-Washington - Type: T: 084472 (don. JH Pratt, 1879)

A discredited species.

Weloganite
Sabina AP, Jambor JL, Plant AG: Can.Min.(1968) 9, 468-477
Canada - Quebec - Montreal Island - St. Michel - Francon quarry
- Canada: GSC-Ottawa - Type: CT: 17257 (1g), 61337

Welshite
Moore PB: Min.Mag.(1978) 42, 129-132
Sweden - Värmland - Filipstad - Filipstad - Langban, Amerika stope
- USA: NMNH-Washington - Type: T: 137022 (P.B. Moore)
- Sweden: SMNH-Stockholm - Type: HT: 532480

Wendwilsonite
Dunn PJ, Sturman BD, Nelen JA: Amer.Min.(1987) 72, 217-221
Morocco - Anti Atlas - Quazatate (S of) - Bou Azzer (first TL)
- USA: NMNH-Washington - Type: HT: 136288 (found in the collections, 1977)

USA - New Jersey - Sussex County - Ogdensburg - Sterling Hill mine (second TL)
- Canada: ROM-Toronto - Type: CT: M42119 (?)

Wenkite
Papageorgakis J: Schweiz.Min.Petr.Mitt.(1962) 42, 269-274
Italia - Piemonte - Novara - Valle d'Ossola (lower) - Candoglia, Cava Mergozzoni
- Switzerland: NMBA-Basel - Type: HT: MB 14577 (1 sample)

Werdingite
Moore JM, Waters DJ, Niven ML: Amer.Min.(1990) 75, 415-420
South Africa - Northern Cape Province - Namaqualand - Gordonia District - Boksput (S30 07', E18 27')
- South Africa: SAMN-Cape Town - Type: CT: SAMG7140-7150

Wermlandite
Moore PB: Lithos,(1971) 4, 213-217
Sweden - Värmland - Filipstad - Filipstad - Langban
- USA: NMNH-Washington - Type: HT: 137023

Wesselsite
Giester G, Rieck B: Min.Mag.(1996) 60, 795-798
South Africa - Northern Cape Province - Kalahari manganese field - Wessels mine
- Austria: IMK-Wein - Type: T: 8H/01.055#1

Westerveldite
Oen IS, Burke EAJ, Kieft C, Westerhof AB: Amer.Min.(1972) 57, 354-363
Spain - Andalucia - Málaga Province - Marbella (N of), Ojén (3km E of) - La Gallega mine (from the dumps)
- Netherlands: GIU-Amsterdam - Type: CT:
- Netherlands: IESFU-Amsterdam - Type: CT:

Wheatleyite

Rouse RC, Peacor DR, Dunn PJ, Simmons WB, Newbury D: Amer.Min.(1986) 71, 1240-1242
USA - Pennsylvania - Chester County - Phoenixville - Wheatley mine

- Canada: CMN-Ottawa - Type: HT (part of): 80196 (mg on 2x3 cm matrix)
- USA: NMNH-Washington - Type: HT: 162531 (don. WW Pinch, 1985)

Wherryite

Fahey JJ, Dagget EB, Gordon SG: Amer.Min.(1950) 35, 93-98
USA - Arizona - Pinal County - Tiger - Mammoth mine

- USA: ANS-Philadelphia - Type: CT: 22736
- USA: NMNH-Washington - Type: CT & T: 136010 (part of ANS no. 22736) and 106576, 117723 (U.S.Geol.Surv., 1953, 1965)

Whiteite-(CaFeMg)

Moore PB and Ito J: Min.Mag.(1978) 42, 309-323
Brazil - Minas Gerais - Taquaral (near) - Lavra da Ilha

- France: ENSM-Paris - Type: T: (don. PB Moore, 1978)
- USA: NMNH-Washington - Type: T: 123013 (don. RA Kosner, 1971)

Whiteite-(CaMnMg)

Grice JD and Dunn PJ: IMA-meeting in Stanford, Abstr. and Progr.(1986) p. 114
USA - South Dakota - Custer County - Black Hills, Custer (ca. 8.5km SW of) - Tip Top mine

- Canada: CMN-Ottawa - Type: CT: 49712 (1988, several crystals - few mg)
- USA: NMNH-Washington - Type: HT: 163775 (don. JD Grice, 1986)

Whiteite-(MnFeMg)

Moore PB and Ito J: Min.Mag.(1978) 42, 309-323
Brazil - Minas Gerais - Taquaral (near) - Lavra da Ilha

- USA: NMNH-Washington - Type: HT: 161211 (found in the coll., pol. section)

Whitlockite

Frondel C: Amer.Min.Soc., Program and Abstracts (1940) p. 7
USA - New Hampshire - Grafton County - North Groton - Palermo no. 1 mine

- USA: HMM-Cambridge - Type: CT: 95030 (don. C Frondel from HA Ashley)
- USA: NMNH-Washington - Type: CT: 146196 (don. Harvard Univ., part of HMM 95030)

Compare same author in: Amer.Min.(1941) 26, 145-152 and 197

Whitmoreite

Moore PB, Kampf AR, Irving AJ: Amer.Min.(1974) 59, 900-905
USA - New Hampshire - Grafton County and Sullivan County - North Groton and East Alstead - Palermo no. 1 mine and Fitzgibbon pegmatites (= second TL's)

- USA: NMNH-Washington - Type: T: 128069 (don. PB Moore, 1974)

First TL South Dakota, Glendale, East Alstead pegmatite.

Wickenburgite

Williams SA: Amer.Min.(1968) 53, 1433-1438
USA - Arizona - Maricopa County - Wickenburg (near) - Potter-Cramer property

- France: MHN-Paris - Type: T: (don. SA Williams)
- USA: NMNH-Washington - Type: T: 122875 (don. SA Williams, 1971)

Wickmanite
Moore PB: Arkiv Min.Geol.(1967) 4, 395-399
Sweden - Värmland - Filipstad - Filipstad - Langban, Skottland stope
- USA: NMNH-Washington - Type: T: 120068
- Sweden: SMNH-Stockholm - Type: HT: 25606

Only with name in Can.Min.(1967) 9, 301

Wicksite
Sturman BD, Peacor DR, Dunn PJ: Can.Min.(1981) 19, 377-380
Canada - Yukon Territory - Big Fish River/Blow River area - Big Fish River
- Canada: GSC-Ottawa - Type: HT (part of): 61309
- USA: NMNH-Washington - Type: HT (part of): 145968
- Canada: ROM-Toronto - Type: HT (part of): M37364 (approx. 1g)

Widgiemoolthalite
Nickel EH, Robinson BW, Mumme WG: Amer.Min.(1993) 78, 819-821
Australia - Western Australia - Kambalda (S of), Widgiemooltha (4km SW of) - 132 North Ni-mine (S31 30', E121 32')
- Australia: WAM-Perth - Type: HT: M.1.1993

Wilcoxite
Williams SA and Cesbron FP: Min.Mag.(1983) 47, 37-40
USA - New Mexico - Catron County - Lone Pine mine
- France: MHN-Paris - Type: T: (don. SA Williams)
- United Kingdom: NHM-London - Type: CT: BM 1980,545
- USA: UA-Tucson - Type: CT:

Wilhelmkleinite
Schlüter J, Klaska K-H, Friese K, Adiwidjaja G, Gebhard G: Neues Jahrb.,Mh.(1998) 558-564
Namibia - Otavi - Tsumeb, No.44 level
- Germany: MMUH-Hamburg - Type: T:

Wilhelmvierlingite
Mücke A: Der Aufschluss,(1983) 34, 267-274
Germany - Bayern - Oberpfalz - Hagendorf pegmatites, Waidhaus (2km NW of)
- Germany: IMK-TU-Berlin - Type: HT: 89/109 (specimen with very fine grained radial fibrous aggreg.)

Wilkeite
Eakle AS and Rogers AF: Amer.J.Sci.(1914) ser. 4, 37, 262-267
USA - California - Riverside County - Riverside (5 mls NW of) - Crestmore quarry
- France: MHN-Paris - Type: T: 114.665 (don. AS Eakle)
- USA: NMNH-Washington - Type: T: 094463, 095685 (don. AS Eakle, 1922 and 1927)

Discredited species = ellestadite

Wilkinsonite
Duggan MB: Amer.Min.(1990) 75, 694-701
Australia - New South Wales - Warrumbungle Volcano (S31 18.9', E149 11.1')
- Australia: BMR-Canberra - Type: T: R29655, 832601

Willemite

Lévy A: Neues Jahrb.Min.(1830) p. 71
Belgium - Liège province - Moresnet (near) - Altenberg Zn-deposit

- France: MHN-Paris - Type: T: 33.346, 104.980 (don. A. Lévy)

USA - New Jersey - Sussex County - Franklin

- France: MHN-Paris - Type: T: 33.346 and 104.980 (don. A Lévy)

Willemseite

Hiemstra SA, de Waal SA: Nat.Inst.Met.(S.A.)Res.Rep.(1968) 352, 1-14
South Africa - Eastern Transval - Barberton District - Bon Accord Ni-deposit

- USA: NMNH-Washington - Type: T: 132464, 132465A0 (on same specimen nimite type, don. Nat.Inst.Met.S.A.)

Willhendersonite

Peacor DR, Dunn PJ, Simmons WB, Tillmanns E, Fischer RX: Amer.Min.(1984) 69, 186-189 *
Italia - Umbria - Terni - San Venanzo (near) - Vispi quarry (first TL)

- USA: HMM-Cambridge - Type: T: 119472
- USA: NMNH-Washington - Type: HT & CT: 148655 (don. WA Henderson, 1981) and 148656 (don. WA Henderson, 1982)

Second type locality = Germany, Rheinland-Pfalz, Eifel, Ettringer Bellerberg in: Acta Cryst.(1981) A37, C-186 and Zeits.Krist.(1982) 159, 125-126

Wiluite

Groat LA, Hawthorne FC, Ercit TS, Grice JD: Can.Min.(1998) 36, 1301-1304
Russia - Yakutia - Sakha Republik - Wilui River

- Canada: CMN-Ottawa - Type: T:

Winstanleyite

Williams SA: Min.Mag.(1979) 43, 453-457
USA - Arizona - Cochise County - Tombstone - Grand Central mine (on the waste dumps of the)

- France: MHN-Paris - Type: T: (don. SA Williams)
- United Kingdom: NHM-London - Type: CT: BM 1980,538

Wiserite

Haidinger W: Handb.bestimm.Min.(1845), 493
Switzerland - St. Gallen - Sargans - Gonzen (Fe-Mn-mine)

- Switzerland: ETH-Zürich - Type: NT: 194501 (don. WT Epprecht, 20g)
- USA: NMNH-Washington - Type: T: 163341 (don. WT Epprecht, thru HA Stalder, 1986, part of NMBE Bern A4903)

Collected by Wiser 1843. New definition of the species by WT Epprecht, WT Schaller, AC Vlisidis in: Schweiz.Min.Petr.Mitt.(1959) 39, 85-104 - and F Pertlik and PJ Dunn in: Amer.Min.(1989) 74, 1351-1354 (structure).

Wittite

Johansson K: Arkiv Kemi Min.Geol.(1924) 9, 2
Sweden - Kopparberg - Falun - Falun - Falun

- Sweden: SMNH-Stockholm - Type: HT: 24082

Wodginite
Nickel EH, Rowland JF, McAdam RC: Can.Min.(1963) 7, 390-402
Australia - Western Australia (NW) - Pilbara region - Wodgina (S21 10', E118 40')
- Australia: WAM-Perth - Type: HT: S388B (2g)

Canada - Manitoba - Winnipeg Division - Lac du Bonnet (48km ENE of), Township 17, Range 15 - Bernic Lake, Tanco pegmatite mine
- Canada: GSC-Ottawa - Type: T: 12200
- Canada: ROM-Toronto - Type: T: M25655 (approx. 1g)

Wolfeite
Frondel C: Amer.Min.(1949) 34, 692-705
USA - New Hampshire - Grafton County - Morth Groton - Palermo mine
- United Kingdom: NHM-London - Type: CT: BM 1963,230
- USA: NMNH-Washington - Type: CT: 100867/8, 100870/1 (don. C Frondel from HA Ashley)

Wollastonite-7T
Henmi C, Kusachi I, Kawahera A, Henmi K: Min.Journ.Japan (1978) 9, 169-181
Japan - Honshu - Okayama Pref. - Bicchu township - Fuka mine (from skarn)
- Japan: UOk-Okayama - Type: T:

Wölsendorfite
Protas J: C.R.Acad.Sci.Paris,(1957) 244, 2942-2944
Germany - Bayern - Regensburg (N) - Wölsendorf (a.d. Naab)
- France: ENSM-Paris - Type: HT:

Wonesite
Spear FS, Haser RM, Rumble D: Amer.Min.(1981) 66, 100-105
USA - Vermont - Mount Cube Quadrangle (SW corner) - Post Pond Volcanics
- USA: NMNH-Washington - Type: HT: 145724 (don. Geophys.Lab., thru RM Hazen, 1979)
- USA: NMNH-Washington - Type: CT: 162422/8 (don. Geophys.Lab., thru RM Hazen, 1984)

Woodallite
Grguric BA, Madsen IC, Pring A: Min.Mag.(2001) 65, 427-435
Australia - Western Australia (central part) - Mount Keith Ni-deposit (S27 13', E120 32')
- Australia: MOV-Melbourne - Type: CT: M46222
- Australia: SAM-Adelaide - Type: T: G25116
- Australia: WAM-Perth - Type: CT: M1.2000

From a drillhole (MKD194), 226.0m in depth

Woodruffite
Frondel C: Amer.Min.(1953) 38, 761-769
USA - New Jersey - Sussex County - Ogdensburg - Sterling Hill mine
- USA: HMM-Cambridge - Type: T: 112987, 112992 (described from HMM-coll.)

Wooldridgeite
Hawthorne FC, Cooper MA, Green DI, Starkey RE, Roberts AC, Grice JD: Min.Mag.(1999) 63, 13-16
United Kingdom - England - Warwickshire - Nuneaton - Judkins Quarry
- United Kingdom: MM-Manchester - Type: T: MANCH:N13200

Wroewolfeite
Dunn PJ, Rouse RC, Nelen JA: Min.Mag.(1975) 40, 1-5
USA - Massachusetts - Hampshire County - Loudeville - Loudeville lead mine (also known as Manhan lead mine)
- USA: NMNH-Washington - Type: CT: 127329 (don. PJ Dunn, 1973)

Wulfenite
Haidinger W: Handb.bestimm.Min., first ed.(1845) p. 504
Austria - Kärnten - Schwarzenbach - Bleiberg
- Germany: BAF-Freiberg - Type:: (33 samples)

Haidinger was renaming the "Kärntherischer Bleispat" of F.X. Wulfen.

Wülfingite
Schmetzer K, Schnorrer-Köhler G, Medenbach O: Neues Jahrb.Min.,Mh.(1985) 145-154
Germany - Hessen - Bebra (NE) - Richelsdorfer Gebirge - Bauhaus mining area
- Germany: MPI-Heidelberg - Type: CT: 101117 (1 spec.)
- Germany: MSU-Gottingen - Type: HT:

Wupatkiite
Williams SA and Cesbron FP: Min.Mag.(1995) 59, 553-556
USA - Arizona - Coconino County - Cameron Uranium district - Grey Mountain (near, in a low open cut)
- France: ENSM-Paris - Type: T:

Wyartite-I
Guillemin G, Protas J: Bull.Soc.fr.Min.Crist.(1959) 82, 80-86
Zaire - Shaba - Likasi - Shinkolobwe uranium mine
- France: MHN-Paris - Type: HT: V 5686
- Belgium: MRAC-KMMA-Tervuren - Type: HT: RGM 2.222 (cm flakes)
- USA: NMNH-Washington - Type: T: 150.331

Wycheproofite
Birch WD, Pring A, Bevan DJM, Kharisun: Min.Mag.(1994) 58, 635-639
Australia - Victoria (NW) - Wycheproof (0.5km E of), in pegmatite veins in a granite quarry (S36 05', E143 14')
- Australia: MOV-Melbourne - Type: HT & CT: M42853 and M42846
- Australia: SAM-Adelaide - Type: CT: G18612

Wyllieite
Moore PB and Ito J: Min.Mag.(1979) 43, 227-235
USA - South Dakota - Custer County - Custer (near) - Old Mike Pegmatite
- USA: NMNH-Washington - Type: CT: 162557 (don. PB Moore, 1985)